
NOTES:

- 1. SUBSTRATE MATERIAL: ALUMINUM
- 2. FINISH (EXCEPT SURFACE S1): BLACK ANODIZED
- 3. COATING (APPLY ACROSS CLEAR APERTURE) \$1: BARE GOLD

R(AVG) >94% @ 0.7-0.8µm R(AVG) >97% @ 0.8-2.0µm R(AVG) >98% @ 2-12µm


SURFACE ROUGHNESS: <175 Å RMS


- 4. FOCAL LENGTH TOLERANCE: ±1%
- 5. ROHS COMPLIANT



FOR INFORMATION ONLY: PARTS TO THIS DRAWING







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

| REV. A | \$1 | | | | Edmund Optic | C® |
|---|----------------------|------------------------|----|--------|--|-----------------|
| SHAPE | PARABOLIC | | | | | <i>,</i> 3 |
| REFLECTIVE WAVEFRONT DISTORTION AT 632.8nm (RMS) | λ/2 | THIRD ANGLE PROJECTION | | TITLE | Ø50.8 X 101.6mm EFL 60° OAP BARE GOLD MIRROR 175Å | |
| SURFACE FIGURE AT 632.8nm (RMS) | λ/4 | | | | | |
| CLEAR APERTURE | 90% | | | | | |
| BEVEL | PROTECTIVE AS NEEDED | ALL DIMS IN | mm | DWG NO | 86305 | SHEET 1 OF 1 |