NOTES:

- 1. SUBSTRATE: Crystal Quartz and MgF2
- 2. COATING (APPLY ACROSS CLEAR APERTURE) S1 & S2: R(AVG) <1% @ 465 - 610nm

DAMAGE THRESHOLD, PULSED: 2 J/cm² @ 8ns @ 1064nm CW: 500 kW/cm² @ 1064nm

- 3. SURFACE \$1 TO BE PARALLEL TO SURFACE \$2 TO WITHIN <1 ARCMIN
- 4. RETARDANCE: $\lambda/4 \pm \leq \lambda/100$
- 5. TRANSMITTED WAVEFRONT: λ/4 @ 633nm
- 6. WAVELENGTH RANGE: 465 610 nm
- 7. TEMPERATURE COEFFICIENT: $<1/500 \lambda$ /°C
- 8. ROHS COMPLIANT





