NOTES:


- 1. SUBSTRATE MATERIAL: FUSED SILICA
- 2. SURFACE S1 TO BE PARALLEL TO SURFACE S2 TO WITHIN <3 ARCMIN
- 3. COATING (APPLY ACROSS COATING APERTURE)


S1: Square Aluminum (AlMgF2) Apertures R: 50±5% @ 250 - 2000nm @ 45° AOI T: 50±5% @ 250 - 2000nm @ 45° AOI

S2: NONE

4. POLKA DOT CENTER TO CENTER SPACING: 0.15mm POLKA DOT MINIMUM APERTURE: 2mm

5. ROHS: COMPLIANT





FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	S 1	S2	
SHAPE	PLANO	PLANO	
SURFACE QUALITY	80-50	80-50	
CLEAR APERTURE	90%	90%	
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	
	•		

THIRD ANGLE PROJECTION	$\bigoplus \Box$	
ALL DIMS IN	mm	-

GO	Edmund Optics®
	RS POLKA-DOT 50/50 50 8mm SO

IRD ANGLE . OJECTION	$\phi \triangleleft$	TITLE		
LL DIMS IN	mm	DWG NO	48505	SHEET 1 OF 1