
## NOTES:

- 1. SUBSTRATE: SCHOTT NG5
- 2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN <30 ARCSEC
- 3. COATING(APPLY ACROSS CLEAR APERTURE) S1 & S2: R(AVG) ≤1.0% @ 450 - 700nm @ 0°
- 4. OD: 0.5± 10% @ 550nm
- 5. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 6. TRANSMITTED WAVEFRONT DISTORTION P-V @ 632.8:  $\lambda/4$
- 7. ROHS COMPLIANT



## *FOR INFORMATION ONLY:* DO NOT MANUFACTURE PARTS TO THIS DRAWING