NOTES:

1. SUBSTRATE:

FLOAT GLASS

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING





2. COATING (APPLY ACROSS COATING APERTURE):


\$1: INCONEL \$2: NONE

3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT







NEUTRAL DENSITY FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

S1 S2 SHAPE PLANO PLANO	
SHAPE PLANO PLANO	
I LANO	
SURFACE QUALITY 80-50 80-50	
BLOCKING WAVELENGTH 400 - 700 400 - 700	
PROTECTIVE AS NEEDED PROTECTIVE AS NEEDED	EDED

		•			
	1				
THIRD ANGLE PROJECTION					
	<u> </u>				
ALL DIMS IN	mm				

	Edmund Optics®
TITLE	OD 0.15, Ø25mm REFLECTIVE ND FILTER

OJECTION	\$ \ \	IIILE	OD 0.13, Ø25mm REFLECTIVE ND FILTER	
LL DIMS IN	mm	DWG NO	64132	SHEET 1 OF 1