NOTES:


- SUBSTRATE: Float Glass
- COATING (APPLY ACROSS CLEAR APERTURE)
 \$1: Protected Aluminum (400-700nm)
 R(AVG) >85% @ 400 700nm @ 45°


S2: NONE



SEAMED EDGES

4. ROHS COMPLIANT





FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHAPE	\$1 PLANO	S2 PLANO			e	lacksquare
SURFACE QUALITY	80-50	N/A		1		
SURFACE FLATNESS	4 - 6λ	N/A	THIRD ANGLE PROJECTION	$\oplus \lhd$	TITLE	
CLEAR APERTURE	Ø114.3 x 160.2	N/A				
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	

			Edmund Optics®				
ANGLE_ CTION	$\phi \Box$	TITLE	127 x 178mm, 4-6λ Mirror				
IMS IN	mm	DWG NO	41320	SHEET 1 OF 1			