




SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	92
PASSBAND LIMIT 1 λ _{p1} (nm)	520
CUT-OFF POSITION λ_{c} (nm)	435±6
STOPBAND LIMIT λ_s (nm)	370
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE TITLE		TITLE	50.8 x 50.8mm, GG-435 LONGPASS FILTER	
ALL DIMS IN	mm	DWG NO	32762	SHEET 1 OF 1










SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	92
PASSBAND LIMIT 1 λ _{p1} (nm)	560
CUT-OFF POSITION λ_c (nm)	495±6
STOPBAND LIMIT λ_s (nm)	430
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, GG-495 LONGPASS FII	_TER
ALL DIMS IN	mm	DWG NO	32763	SHEET









LONGPASS FILTER


REV. A	VALUE	
SHAPE	PLANO	
SPECTRAL TRANSMITTANCE † (%)	93	
PASSBAND LIMIT 1 λ _{p1} (nm)	620	
CUT-OFF POSITION λ_{c} (nm)	550±6	7
STOPBAND LIMIT λ_s (nm)	480	
WAVELENGTH	VIS	1
BEVEL	PROTECTIVE AS NEEDED	

	GU	Edmund Optics®
1		

THIRD ANGLE TITLE PROJECTION		TITLE	50.8 x 50.8mm, OG-550 LONGPASS FII	LTER
ALL DIMS IN	mm	DWG NO	32764	SHEET 1 OF 1









SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	94
PASSBAND LIMIT 1 λ _{p1} (nm)	710
CUT-OFF POSITION λ_c (nm)	630±6
STOPBAND LIMIT λ_s (nm)	540
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

		Edmund Optics®
THIRD ANGLE PROJECTION	TITLE	50.8 x 50.8mm, RG-630 LONGPASS FILTER

ALL DIMS IN mm DWG NO 32765 SHEET 1 OF 1










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	96
PASSBAND LIMIT 1 λ_{p1} (nm)	780
CUT-OFF POSITION λ_{c} (nm)	695±6
STOPBAND LIMIT λ_s (nm)	610
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

	GU	Edmund Optics®
1 .		

THIRD ANGLE TITLE		TITLE	50.8 x 50.8mm, RG-695 LONGPASS FIL	TER.
ALL DIMS IN	mm	DWG NO	32766	SHEET 1 OF 1









LONGPASS FILTER


SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE	
SHAPE	PLANO	
SPECTRAL TRANSMITTANCE t _{ip} (%)	97	
PASSBAND LIMIT 1 λ _{p1} (nm)	900	
CUT-OFF POSITION λ_c (nm)	780±9	
STOPBAND LIMIT λ_s (nm)	610	THIRD AN PROJECT
WAVELENGTH	IR	
BEVEL	PROTECTIVE AS NEEDED	ALL DIM

THIRD ANGLE PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, RG-780 LONGPASS FIL	TER
ALL DIMS IN	mm	DWG NO	32767	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE	
SHAPE	PLANO	
SPECTRAL TRANSMITTANCE t _{ip} (%)	97	
PASSBAND LIMIT 1 λ _{p1} (nm)	950	
CUT-OFF POSITION λ_{c} (nm)	830±9	1
STOPBAND LIMIT λ_s (nm)	670	
WAVELENGTH	IR	٦
BEVEL	PROTECTIVE AS NEEDED	

	Edmund	Optics®
-		

	THIRD ANGLE - PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, RG-830 LONGPASS FIL	.TER
_	ALL DIMS IN	mm	DWG NO	32768	SHEET 1 OF 1










SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † ip(%)	97
PASSBAND LIMIT 1 λ _{p1} (nm)	120
CUT-OFF POSITION λ_{c} (nm)	850±9
STOPBAND LIMIT λ_s (nm)	700
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE . PROJECTION		TITLE	50.8 x 50.8mm, RG-850 LONGPASS FIL	.TER
ALL DIMS IN	mm	DWG NO	32769	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	90
PASSBAND LIMIT 1 λ_{p1} (nm)	1300
CUT-OFF POSITION λ_{c} (nm)	1000±6
STOPBAND LIMIT λ_s (nm)	730
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®

THIRD ANGLE PROJECTION	\Diamond	TITLE	50.8 x 50.8mm, RG-1000 LONGPASS FI	LTER
ALL DIMS IN	mm	DWG NO	32770	SHEET 1 OF 1










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	92
PASSBAND LIMIT 1 λ_{p1} (nm)	480
CUT-OFF POSITION λ_{c} (nm)	395±6
STOPBAND LIMIT λ_s (nm)	340
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®
1 .	

THIRD ANGLE PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, GG-395 LONGPASS F	
ALL DIMS IN	mm	DWG NO	46056	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	92
PASSBAND LIMIT 1 λ _{p1} (nm)	550
CUT-OFF POSITION λ_c (nm)	475±6
STOPBAND LIMIT λ_s (nm)	410
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

THIRD ANGLE TITLE		TITLE	50.8 x 50.8mm, GG-475 LONGPASS FILTER	
ALL DIMS IN	mm	DWG NO	46058	SHEET 1 OF 1










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	93
PASSBAND LIMIT 1 λ_{p1} (nm)	600
CUT-OFF POSITION λ_c (nm)	530±6
STOPBAND LIMIT λ_s (nm)	460
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED


	Edmund Optics®

THIRD ANGLE PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, OG-530 LONGPASS FILTER	
ALL DIMS IN	mm	DWG NO	46060	SHEET 1 OF 1












REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE t_{ip} (%)	93
PASSBAND LIMIT 1 λ_{p1} (nm)	640
CUT-OFF POSITION λ_{c} (nm)	570±6
STOPBAND LIMIT λ_s (nm)	500
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

			Eamuna Opiic	;S [®]
THIRD ANGLE PROJECTION	$\phi \lhd$	TITLE	Ø25.4mm, OG-570 LONGPASS FILTE	ĒR
ALL DIMS IN	mm	DWG NO	46061	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	93
PASSBAND LIMIT 1 λ _{p1} (nm)	640
CUT-OFF POSITION λ_c (nm)	570±6
STOPBAND LIMIT λ_s (nm)	500
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

THIRD ANGLE PROJECTION	\rightarrow	TITLE	50.8 x 50.8mm, OG-570 LONGPASS FILTER	
ALL DIMS IN	mm	DWG NO	46062	SHEET 1 OF 1










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	93
PASSBAND LIMIT 1 λ_{p1} (nm)	660
CUT-OFF POSITION λ_{c} (nm)	590±6
STOPBAND LIMIT λ_s (nm)	510
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

			Eamuna Optic	;S®
THIRD ANGLE _ PROJECTION	$\phi \circlearrowleft$	TITLE	Ø25.4mm, OG-590 LONGPASS FILTI	≣R
ALL DIMS IN	mm	DWG NO	46063	SHEET 1 OF 1









SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † ip(%)	93
PASSBAND LIMIT 1 λ _{p1} (nm)	660
CUT-OFF POSITION λ_c (nm)	590±6
STOPBAND LIMIT λ_s (nm)	510
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE . PROJECTION	ϕ	TITLE	50.8 x 50.8mm, OG-590 LONGPASS FIL	TER
ALL DIMS IN	mm	DWG NO	46064	SHEET 1 OF 1









SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY


PLANCE


PLANCE


SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † ip(%)	96
PASSBAND LIMIT 1 λ_{p1} (nm)	810
CUT-OFF POSITION λ_{c} (nm)	715±9
STOPBAND LIMIT λ_s (nm)	620
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

		B	Edmund Optic	S®
THIRD ANGLE _ PROJECTION		TITLE	Ø25.4mm, RG-715 LONGPASS FILTE	:R
ALL DIMS IN	mm	DWG NO	46065	SHEET 1 OF 1










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	96
PASSBAND LIMIT 1 λ_{p1} (nm)	810
CUT-OFF POSITION λ_c (nm)	715±9
STOPBAND LIMIT λ_s (nm)	620
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

	(R)	Edmund	Optics®

THIRD ANGLE PROJECTION	\Diamond	TITLE	50.8 x 50.8mm, RG-715 LONGPASS FIL	TER
ALL DIMS IN	mm	DWG NO	46066	SHEET 1 OF 1










SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $t_{ip}(\%)$	99
PASSBAND LIMIT 1 λ _{p1} (nm)	400
CUT-OFF POSITION λ_c (nm)	300±6
STOPBAND LIMIT λ_s (nm)	250
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, N-WG-295 LONGPASS F	FILTER
ALL DIMS IN	mm	DWG NO	46418	SHEET 1 OF 1










SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	99
PASSBAND LIMIT 1 λ _{p1} (nm)	470
CUT-OFF POSITION λ_c (nm)	320±6
STOPBAND LIMIT λ_s (nm)	280
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION	\Diamond	TITLE	50.8 x 50.8mm, N-WG-320 LONGPASS F	FILTER
ALL DIMS IN	mm	DWG NO	46421	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE	
SHAPE	PLANO	
SPECTRAL TRANSMITTANCE † (%)	93	
PASSBAND LIMIT 1 λ _{p1} (nm)	480	
CUT-OFF POSITION λ_c (nm)	400±6	
STOPBAND LIMIT As (nm)	340	
WAVELENGTH	VIS	
BEVEL	PROTECTIVE AS NEEDED	

	8	Edmund	Optics®
•			

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, GG-400 LONGPASS FIL	LTER
ALL DIMS IN	mm	DWG NO	46424	SHEET










REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	93
PASSBAND LIMIT 1 λ _{p1} (nm)	530
CUT-OFF POSITION λ_{c} (nm)	420±6
STOPBAND LIMIT λ_s (nm)	360
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

THIRD ANGLE - PROJECTION	\Diamond	TITLE	50.8 x 50.8mm, GG-420 LONGPASS FII	LTER
ALL DIMS IN	mm	DWG NO	46427	SHEET









SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE


REV. A	VALUE	
SHAPE	PLANO	
SPECTRAL TRANSMITTANCE $t_{\rm ip}(\%)$	94	
PASSBAND LIMIT 1 λ _{p1} (nm)	690	٦
CUT-OFF POSITION λ_{c} (nm)	610±6	7
STOPBAND LIMIT λ_s (nm)	530	
WAVELENGTH	VIS]
BEVEL	PROTECTIVE AS NEEDED	

DIMENSIONS ARE FOR REFERENCE ONLY

			Eamuna Optic	S
THIRD ANGLE _ PROJECTION	ϕ	TITLE	50.8 x 50.8mm, RG-610 LONGPASS FIL	.TER
ALL DIMS IN	mm	DWG NO	46430	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	99
PASSBAND LIMIT 1 λ _{p1} (nm)	380
CUT-OFF POSITION λ_c (nm)	285±6
STOPBAND LIMIT λ_s (nm)	230
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

THIRD ANGLE PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, N-WG-280 LONGPASS F	FILTER
ALL DIMS IN	mm	DWG NO	64511	SHEET 1 OF 1










SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	94
PASSBAND LIMIT 1 λ_{p1} (nm)	720
CUT-OFF POSITION λ_{c} (nm)	645±8
STOPBAND LIMIT λ_s (nm)	560
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION	ϕ	TITLE	50.8 x 50.8mm, RG-645 LONGPASS FIL	TER.
ALL DIMS IN	mm	DWG NO	64514	SHEET 1 OF 1








LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	93
PASSBAND LIMIT 1 λ_{p1} (nm)	400
CUT-OFF POSITION λ_c (nm)	370±6
STOPBAND LIMIT λ_s (nm)	323
WAVELENGTH	UV
BEVEL	PROTECTIVE AS NEEDED


	Edmund Optics®

THIRD ANGLE PROJECTION	\Diamond	TITLE	50.8 x 50.8mm, L-37 LONGPASS FILTE	ΞR
ALL DIMS IN	mm	DWG NO	66060	SHEET 1 OF 1



SHEET 1 OF 1





ALL DIMS IN

LONGPASS FILTER


SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	92
PASSBAND LIMIT 1 λ_{p1} (nm)	520
CUT-OFF POSITION λ_c (nm)	500±6
STOPBAND LIMIT λ_s (nm)	458
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED


		Edmund Optics®
THIRD ANGLE PROJECTION	TITLE	50.8 x 50.8mm, Y-50 LONGPASS FILTER

66061

DWG NO









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † ip (%)	95
PASSBAND LIMIT 1 λ _{p1} (nm)	570
CUT-OFF POSITION λ_c (nm)	540±6
STOPBAND LIMIT λ_s (nm)	498
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®

THIRD ANGLE - PROJECTION	$\phi \lhd$	TITLE	50.8 x 50.8mm, O-54 LONGPASS FILT	ER
ALL DIMS IN	mm	DWG NO	66062	SHEET 1 OF









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	96
PASSBAND LIMIT 1 λ _{p1} (nm)	590
CUT-OFF POSITION λ_{c} (nm)	560±6
STOPBAND LIMIT λ_s (nm)	518
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®
٦ ـ ـ ـ	

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, O-56 LONGPASS FILTE	
ALL DIMS IN	mm	DWG NO	66063	SHEET 1 OF









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $t_{\rm ip}$ (%)	96
PASSBAND LIMIT 1 λ _{p1} (nm)	610
CUT-OFF POSITION λ_{c} (nm)	580±6
STOPBAND LIMIT λ_s (nm)	538
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®
1	

THIRD ANGLE TITLE PROJECTION		TITLE	50.8 x 50.8mm, O-58 LONGPASS FILT	ER
ALL DIMS IN	mm	DWG NO	66064	SHEET 1 OF









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $t_{ip}(\%)$	93
PASSBAND LIMIT 1 λ _{p1} (nm)	620
CUT-OFF POSITION λ_{c} (nm)	600±6
STOPBAND LIMIT λ_s (nm)	558
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

	THIRD ANGLE TITLE PROJECTION		TITLE	50.8 x 50.8mm, R-60 LONGPASS FILTER	
_	ALL DIMS IN	mm	DWG NO	66065	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † (%)	96
PASSBAND LIMIT 1 λ _{p1} (nm)	650
CUT-OFF POSITION λ_c (nm)	620±6
STOPBAND LIMIT λ_s (nm)	578
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®
1	

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, R-62 LONGPASS FILTER	
ALL DIMS IN	mm	DWG NO	66066	SHEET 1 OF 1









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	94
PASSBAND LIMIT 1 λ_{p1} (nm)	680
CUT-OFF POSITION λ_c (nm)	660±6
STOPBAND LIMIT λ_s (nm)	613
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

	GU	Edmund Optics®		
1 .				

THIRD ANGLE _ PROJECTION	$\phi \Box$	TITLE	50.8 x 50.8mm, R-66 LONGPASS FILT	ER
ALL DIMS IN	mm	DWG NO	66067	SHEET 1 OF









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	93
PASSBAND LIMIT 1 λ _{p1} (nm)	750
CUT-OFF POSITION λ_c (nm)	720±9
STOPBAND LIMIT λ_s (nm)	648
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

	Edmund	Optics®

	THIRD ANGLE _ PROJECTION	\$	TITLE	50.8 x 50.8mm, R-72 LONGPASS FILTI	ER
_	ALL DIMS IN	mm	DWG NO	66068	SHEET 1 OF









LONGPASS FILTER


REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † _{ip} (%)	94
PASSBAND LIMIT 1 λ _{p1} (nm)	800
CUT-OFF POSITION λ_{c} (nm)	760±9
STOPBAND LIMIT λ_s (nm)	700
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

	Edmund Optics®
4 -	

THIRD ANGLE PROJECTION		TITLE	50.8 x 50.8mm, IR-76 LONGPASS FILT	ER
ALL DIMS IN	mm	DWG NO	66069	SHEET 1 OF 1







SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE † ip(%)	96
PASSBAND LIMIT 1 λ _{p1} (nm)	850
CUT-OFF POSITION λ_{c} (nm)	800±9
STOPBAND LIMIT λ_s (nm)	740
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

THIRD ANGLE _ PROJECTION	(4)	TITLE	50.8 x 50.8mm, IR-80 LONGPASS FILT	ER
ALL DIMS IN	mm	DWG NO	66070	SHEET 1 OF 1