
NOTES:


1. SUBSTRATE:


Lithium Fluoride (LiF)

- 2. SURFACE \$1 TO BE PARALLEL WITH SURFACE \$2 TO WITHIN <3 arcmin
- 3. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: NONE







DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

	\$1	\$2
SHAPE	PLANO	PLANO
SURFACE QUALITY	60-40	60-40
SURFACE FLATNESS	λ/2 @ 633nm	λ/2 @ 633nm
CLEAR APERTURE	Ø9	Ø9
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED
	•	

			Edmund Optics®	
THIRD ANGLE - PROJECTION	ϕ	TITLE	10mm Dia., 1mm Thick, Uncoated, Lith Fluoride (LiF) Window	nium
ALL DIMS IN	mm	DWG NO	19725	SHEET 1 OF

10mm Dia., 1mm Thick, Uncoated, Lithium		
Fluoride (LiF) Window		

1 OF 1