NOTES:

1. SUBSTRATE:

Germanium (Ge)

2. CENTERING TOLERANCE:

<3 ARCMIN


3. COATING (APPLY ACROSS CLEAR APERTURE)

\$1 & \$2: NONE

4. FINE GRIND SURFACE

5. FOCAL LENGTH TOLERANCE: ±2%


6. ROHS COMPLIANT



EFL @

10.6µm

150



FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

| | \$1 | \$2 |
|------------------------|---------------------|---------------------|
| SHAPE | CONVEX | CONCAVE |
| RADIUS | 141.25 | 200.4 |
| IRREGULARITY AT 10.6µm | λ/20 | λ/20 |
| SURFACE QUALITY | 60-40 | 60-40 |
| CLEAR APERTURE | ø45.72 | ø45.72 |
| BEVEL | PROTECTED AS NEEDED | PROTECTED AS NEEDED |

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

BFL @ 145.08 Edmund Optics®

145.08 FOUR DIG. x 150mm FL, Uncoated, ISP Optics Germanium (Ge) Meniscus Lens

ALL DIMS IN mm DWG NO 24842 SHEET 1 OF 1